Doc Id: 526257

ACCEPTED
FOR REGISTRATION
Apr 20, 2011

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration

Applicator scoop included.

Preen®

GARDEN WEED PREVENTER

CONTROLADOR DE MALEZAS DE JARDÍN

STOP WEEDS BEFORE THEY START!™

- Prevents weeds up to three months

WEEDS 2560 SQ. FT.

Not for Use on Lawns

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements.

Net Wt. 16 lbs (7.26 kg)

ACTIVE INGREDIENT:	
Trifluralin	1.47%
OTHER INGREDIENTS:	98.53%
TOTAL	100.00%

STOP WEEDS BEFORE THEY START!™

- Prevents weeds up to three months

WEEDS 2560 SQ. FT.

Not for Use on Lawns

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for First Aid and additional Precautionary Statements.

Net Wt. 16 lbs (7.26 kg)

ACTIVE INGREDIENT:	
Trifluralin	1.47%
OTHER INGREDIENTS:	98.53%
TOTAL	100.00%

Precautionary Statements
Hazards to Humans and Domestic Animals
CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin or clothing. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Emergency Medical Information call (888) 208-1368.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to drift or runoff. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the garden will help to prevent run off to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product Information

Preen Garden Weed Preventer prevents most weeds from germinating in flower and vegetable gardens, in ground covers and around trees and shrubs. Although Preen Garden Weed Preventer will not kill existing weeds, it will prevent new weeds from sprouting - eliminating the need for difficult and time-consuming hand weeding. Without weeds, your valuable plants can grow larger and stronger. Your beds will stay neat and weed-free all season long.

Precautions and Restrictions

Not for use on plants being grown for sale or other commercial use, or for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes, or climatic modifications and being grown in ornamental gardens.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not apply to Ajuga, Myrtle or Pachysandra until it is well established, as injury may result. Do not apply Preen Garden Weed Preventer to muck soils or to soils containing more than 10% organic matter. Do not over-apply; injury may occur to subsequent crops which are sensitive to Preen Garden Weed Preventer. Do not use with crops other than those listed on this label. **This product is not for use on lawns,** nor for use in enclosed areas, such as greenhouses. To prevent possible staining to unintended surfaces, ex.: concrete, stone walks, vinyl surfaces, etc., sweep up stray granules as soon as possible.

Entry Restrictions

Do not allow people or pets to enter the treated area until dusts have settled. If product is watered-in, do not enter or allow others to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

Annual Weeds Controlled

Grassy weeds: Barley, Hare
Barnyardgrass (Watergrass)
Bluegrass, Annual
Brome
Cheat
Crabgrass
Cupgrass: Southwestern, Woolly
Fescue, Rattail
Foxtail
Guineagrass
Goosegrass
Johnsongrass
(from seed) Junglerice
Lovegrass
Oat, Wild
Panicum: Fall,
Texas Sandbur
Shattercane
Signalgrass (*Brachiaria*)
Sprangletop
Stinkgrass
Wildcane
Witchgrass

Broadleaf weeds: Carelessweed
Carpetweed
Chickweed
Goosefoot
Henbit
Knotweed
Kochia
Lambsquarters
Nettle, Stinging
Pigweed
Puncturevine (Western U.S. only)
Purslane
Pusley, Florida
Thistle, Russian

Preen Garden Weed Preventer is Recommended for Use Around These Established Plants

Bulbs, Flowers, Herbs, Ground Covers & Ornamental Grasses –

Aaronsbeard
Alyssum
Arctotis
Aster (perennial)
Aster, Stoke's
Baby's breath
Balsam
Beard tongue
Bee balm
Begonia
Bellflower
Black-eyed susan
Bleeding heart
Bunge
Calendula
Calliopsis
Cape weed
Carex, Variegated
Carnation
Carpet bugle (*Ajuga*)
Ceanothus
Centaurea, Velvet
Chrysanthemum
Coneflower, Purple
Coral bells
Coreopsis
Cornflower, Purple
Cosmos
Cotoneaster
Coyote bush, Dwarf
Crown vetch
Daffodil
Dahlia
Daisy: African, Painted, Shasta, Trailing African
Daylily
Descampsia
Dianthus
Dusty miller
Fern, Asparagus
Fescue, Blue
Floss flower (*Ageratum*)
Forget-me-not
Four o'clock
Foxglove
Gaillardia
Gayfeather
Gazania
Geranium
Germander
Geum
Gladiolus (corms > 1" in diameter)
Golden glow
Grass: Beech, Dwarf Mondo, Eulalia, Fountain, Mascarene, Mondo, Pampas, Ribbon, Zoysia
Guara
Hakonechloa, Golden
Hollyhock
Hosta, Albo-marginata
Hyacinth
Ice plant: Largeleaf, Trailing, Trailing rosea, White
Impatiens
Iris, Bulbous
Ivy: Algerian, California, English, Needlepoint
Ixora
Jasmine: Angelwing, Asaian
Lamb's ears
Lavander, English
Lily turf: Big blue, Green/creeping, Lilac beauty, Magestic, Silvery sunproof, Variegated liriope, White
Lily-of-the-nile
Lobelia
Lupine (*Lupinus*)
Marigold
Marigold, Cape (*Dimorphotheca*)
Morningglory
Myoporum
Narcissus
Nasturtium
Nicotiana
Ozark sundrop
Periwinkle (*Vinca*)
Peter Pan, Dwarf
Petunia
Phlox
Pincushion flower (*Scabiosa*)
Plumbago, Dwarf
Poppy, California
Portulaca
Rockrose
Rose
Rosemary
Rudbeckia
Rupturewort
Sage, Russian
Salvia
Silver mound
Snapdragon
Snow-in-summer
Snow-on-the-mountain
Speedwell
Spurge, Japanese
St. John's wort
Statice
Stock
Stonecrop (*Sedum*)
Strawberry, Beach
Sunflower
Sweet alyssum
Sweet pea
Sweet sultan
Sweet william
Thrift
Tickseed
Tulip
Verbena
Wire plant
Wirevine, Creeping
Yarrow (*Achillea*)
Zinnia

Shrubs –

Abelia: Edward Goucher, Glossy
Acacia: Abyssinica, Prostrate, Shoestring
Andromeda, Japanese
Arborvitae: American, Aureus nana-dwarf golden, Emerald, Globosa-globe, Little giant-dwarf, Minima glauca-dwarf, Nigra-dark American, Pyramidalis pyramid, Rheingold, Techny
Azalea
Bamboo: Compacta-dwarf, Harbour dwarf-heavenly, Heavenly, Nana-compacta-heavenly, Nana purpurea-heavenly, Woods dwarf heavenly
Barberry: Atropurea-redleaf Japanese, Aurea-golden Japanese, Crimson pygmy, Japanese, Mento, Rose glow, William Penn
Bottlebrush: Lemon, Weeping
Bougainvillea Barbara Karst, California gold, Pink pixie, Scarlett O'Hara, Temple fire Texas dawn
Boxwood: Common, Harlands, Japanese, Korean, Littleleaf
Broom: Hollandia-warminster, Lena-Scotch
Camellia: Japanese, Sasanqua
Cassia, Feathery
Century plant
Cherry: Carolina laurel, Dwarf pink flowering almond
Cinquefoil
Cleyera, Japanese
Cotoneaster: Bearberry Cranberry, Himalayan, Praecox-early, Pyrenees, Rock, Zabel
Coyotebush
Cypress: Filifera-thread, Kosteri, Nana-dwarf Hinoki, Torulosa
Daphne, Fragrant
Deutzia
Dogwood: Baileyi red osier, Flaviramea-yellow-twig, Sibirica-Siberian
Elaeagnus
Euonymus: Canadale, Emerald'n gold, Silver king, Spreading, Sunspot, Variegated evergreen, Winged, Wintercreeper
Fern: Tassel, Japanese painted
Firethorn (*Pyracantha*)
Forsythia
Gardenia: August beauty, Mystery, Radican
Guava, Pineapple
Hawthorn, India
Heather: Cornish, Purple

Shrubs – continued

bell, Mediterranean pink, Spring torch scotch
Hibiscus, Ross Estey
Holly
Honeysuckle: Cape, Trumpet
Hopseed bush
Ixora
Jessamine, Carolina
Juniper
Lantana
Laurel: American Cherry, Mountain
Leaf: Copper, Salal/lemon
Leucothoe: Coast, Drooping
Lilac: Common, Chinese, Wild
Lily-of-the-Valley: Forest flame, Mountain fire, Snowdrift, Temple-bells, Valley rose, Valley valentine
Mahonia: Creeping, Leather leaf
Maple: Amur, Coral bark Japanese, Dwarf Japanese
Mock orange
Myrtle: Crape, Wax
Oleander: Hardy red, Ruby lace
Osmanthus, Fortunes
Palm: Areca, Chinese fountain, Christmas, Pigmy date, Sago
Photinia, Fraser's
Pieris Japonica
Pine, Mugo-mugho
Pittosporum: Green, Japanese, Wheeler's dwarf
Plumbago
Privet
Red Cedar, Eastern
Rhaphiolepis: Charisma-Monruce, Enchantress-Moness, Roundleaf, Springtime-Monme
Rhododendron
Robira
Rose
Rose, Ramanas
Rose of Sharon: Heart, Red bird, Woodbridge
Sakaki
Silverberry
Skimmia: Japanese, Reeve's
Smoke Tree: Royal purple, Coral beauty, Eichholz
Spiraea: Anthony Waterer, Bridal wreath, Dolchia, False, Japanese alpine, Shirobana, Vanhoutte
Sumac, African
Summersweet
Sweetspire, Henry Garnet holly leaf
Viburnum
Weigela
Willow
Woadwaxen
Woodbine: Flowering, Serotina
Xylosma
Yew: Anglojap, Plum, Upright Japanese
Yewpine
Yucca

Trees –

Ash: Shamel, White
Birch: European white, Paper, River
Blackgum
Bottle tree
Carrot wood
Cherry, Yoshino flowering
Coolibah tree
Cottonwood
Cypress: Arizona, Bald, Filicoides-fernspray, Gracilis-slender Hinoki, Squarrosa-moss, Swara false
Dogwood: Cloud nine, Flowering, Kousa
Elm, Chinese
Eucalyptus: Mealy, Redgum, Red ironbark, Silver dollar
Ficus, Mini
Fir: Balsam, Douglas, White
Florida anise tree
Ginko-maidenhair tree
Hawthorn, Green
Hemlock: Canada, Eastern
Larch, Japanese
Linden
Locust: Black, Honey, Shademaster honey
Magnolia
Mahogany
Maple: Albus-flowering, Flame, Luteus-flowering, Norway, Red, Red Sunset, Roseus-flowering, Silver, Sugar, Tangerine-flowering, Vesuvius red-flowering
Mesquite, Chilean
Oak: Bear, Live, Pin, Red, Scarlet, Willow
Palm: Mexican fan, Parlor, Queen
Pine: Austrian, Beach, Bosnian, Bristlecone, Canary Island, Columnar Scotch, Eastern white, Eldarica, Japanese black, Loblolly, Monterey, Pumilio-shrubby swiss mountain, Red, Scotch, Shore
Planetree, London
Podocarpus
Redbud, Eastern
Red Cedar, Eastern
Sequoia, Giant
Sourwood
Spruce: Colorado, Dwarf Alberta, Dwarf globe blue, Glauca-Colorado blue, Hoopsii-Hoop's blue, Koster-Koster blue, Norway, Pendula-weeping Norway, Repens-spreading Norway, White
Sweetgum, American
Sycamore: American, California
Tab, Yellow
Toyon
Tuliptree
Willow

Nonbearing Fruit and Nut Trees and Plants –

Almond
Apple
Apricot
Avocado
Banana
Blackberry
Blueberry
Carob
Cherry: Sweet, Sour
Chestnut, Chinese
Crabapple
Currant
Dewberry
Elderberry
Fig
Filbert
Gooseberry
Grape: American, European
Grapefruit
Kiwi
Lemon
Loganberry
Macadamia nut
Mulberry, White
Nectarine
Olive: Black, Russian
Orange
Peach
Pear
Pecan
Pistachio
Plum
Pomegranate
Prune
Raspberry
Tangelo
Tangerine
Walnut: Black, English

When to Apply Preen Garden Weed Preventer

Apply Preen Garden Weed Preventer during the growing season around established plants and transplants. **Preen Garden Weed Preventer should not be used on flower seeds.** It can be used after flowering plants have germinated and are 2-3 inches tall. Preen Garden Weed Preventer may also be incorporated into the soil when seeding vegetables or applied after mulching beds. Since it does not kill existing weeds, you must first remove any that have already begun to grow. By applying Preen Garden Weed Preventer as early as possible, you can eliminate the need for hand weeding.

Rain does not wash this product out of the soil. **To keep ornamental beds weed-free all season long, reapply Preen Garden Weed Preventer every 9-12 weeks.**

How to Apply Preen Garden Weed Preventer

To avoid plant injury, do not apply Preen Garden Weed Preventer when foliage is wet. When plants are dry, sprinkle Preen Garden Weed Preventer on soil surface at rate given below for your specific planting situation. Once activated by watering or soil incorporation, Preen Garden Weed Preventer forms a weed control barrier in the top layer of soil, preventing weed seeds from germinating. Disturbance to the soil surface after activation may result in erratic weed control.

germinating. Disturbance to the soil surface after activation may result in erratic weed control.

Applying Around Established Plants & Transplants

For flowers, roses, herbs, ground covers, ornamental grasses, shrubs, trees and listed vegetables at least 2 -3 inches tall (see special section for use on vegetables): sprinkle Preen Garden Weed Preventer evenly over the entire soil surface, at the rate of 1 oz. per 10 sq. ft. (see picture on right), being sure to keep granules away from plant roots and foliage.

Immediately water Preen Garden Weed Preventer into soil surface. If watering-in is not convenient, lightly rake into soil surface. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

Surface Application Rate
Sprinkle Preen Garden Weed Preventer as shown on soil surface.

Applying Preen Garden Weed Preventer with Mulch

For best weed control, we recommend applying Preen Garden Weed Preventer after spreading mulch on your flower and shrub beds. Sprinkle Preen Garden Weed Preventer on top of mulch at surface rate (see picture above), being sure to keep granules away from plant foliage. Immediately water Preen Garden Weed Preventer into mulch. If watering-in is not convenient, lightly rake into top layer of mulch. Always wash or brush off stray granules from plant foliage to avoid damage or discoloration.

For Use on Vegetables

First remove all existing weeds, then lightly rake to prepare a smooth soil surface. Uniformly mix Preen Garden Weed Preventer into the top 1-2 inches of soil immediately after application, using care not to damage any emerged crops. Rate of application depends on type of soil. Apply at 1 lb. per 640 sq. ft. for heavy clay-type soils, at 1 lb. per 960 sq. ft. for medium loam soils, and at 1 lb. per 1,280 sq. ft. for light sandy soils.

BEFORE Seeding: Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Collard, Black-Eyed Peas, Field Peas, Green Peas, Kale, Lentils, Lima Beans, Mustard Greens, Okra, Radish, Southern Peas (Cow Peas), Snap Beans, Turnip Greens.

AFTER Seeding or Transplanting: Cantaloupes, Cucumbers, Watermelons. Apply after plants have developed 5 or more leaves.

AFTER Planting: Potatoes - May be applied after planting, before or after emergence. Use care not to damage seed pieces in cultivating nor allow treated soil to contact emerged plant foliage.

BEFORE Transplanting: Celery, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Eggplant, Peppers, Onions, Tomatoes.

Perennial Vegetables: Asparagus - Apply prior to spear emergence of established plants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children and animals.
CONTAINER DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.
IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PREEN GUARANTEE

To the extent consistent with applicable law, Lebanon Seaboard Corporation guarantees you will be satisfied with the performance of this product when used as directed, or your money back. If not satisfied, describe the nature of your problem, and send with proof of purchase to:

LEBANON SEABOARD CORPORATION, 1600 EAST CUMBERLAND STREET, LEBANON, PA 17042

1-800-233-1067

www.preen.com

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the face hereof. All statements made concerning this product apply only when used as directed.

CAS No. 1582-09-8

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
Superscript used is first letter of lot number.

EPA Reg. No. 961-280

Preen® is a registered trademark of Lebanon Seaboard Corporation.

Manufactured by/ Fabricado por:

LEBANON SEABOARD CORPORATION
1600 EAST CUMBERLAND STREET
LEBANON, PA 17042

MALEZAS 238 m²

LA PALA DEL APLICADOR INCLUYO

- **Impide el crecimiento de malezas por hasta tres meses**

MANTENGA ALEJADO DEL ALCANCE DE LOS NIÑOS

INGREDIENTES ACTIVOS:
Trifluralina 1,47%
OTROS INGREDIENTES: . . 98,53%
TOTAL 100,00%

Preen trabaja por usted

PRECAUCION

Consulte el panel posterior para obtener información sobre primeros auxilios y otras declaraciones de precaución adicionales

Peso Neto: 16 lb (7,26 kg)

NO APTO PARA USO EN CÉSPEDES

Preen® es una marca registrada de Lebanon Seaboard Corporation.

Modo de empleo

Constituye violación de la Ley Federal utilizar este producto de una manera distinta a la estipulada en la etiqueta.

Información del producto

El controlador de malezas de jardín Preen evita la germinación de la mayoría de las malezas en jardines de flores y en huertos, en cubiertas vegetales y alrededor de árboles y arbustos. Aunque el controlador de malezas de jardines Preen no mata las malezas existentes, evitará la germinación de nuevas malezas, lo que elimina la dificultad y la pérdida de tiempo de desmalezar a mano. Sin malezas, sus valiosas plantas podrán crecer más grandes y fuertes. Sus macizos se mantendrán arreglados y libres de malezas toda la temporada.

Precauciones y restricciones

No lo use en plantas que se hayan cultivado para la venta u otro uso comercial, para la producción comercial de semillas ni para fines de investigación. Para uso en plantas destinadas para fines estéticos o modificaciones climáticas y que se estén cultivando en jardines ornamentales.

No aplique el producto de ninguna forma que pueda entrar en contacto con personas o mascotas, ya sea en forma directa o indirecta. Mantenga a las personas y mascotas fuera del área durante la aplicación.

No aplique en ajugas, mirtos ni diamantes hasta que estén bien establecidos ya que podría producir daños. No aplique el controlador de malezas de jardín Preen en suelos humíferos o en suelos que contengan más de un 10% de materia orgánica. No aplique en forma excesiva; puede producir daños a los cultivos posteriores que sean sensibles al controlador de malezas de jardín Preen. No usar con cultivos distintos a los que se mencionan en esta etiqueta. Este producto no se debe usar en céspedes ni en áreas cerradas, como invernaderos. Para evitar manchar accidentalmente superficies como concreto, caminos de piedra, superficies de vinilo, etc., barra los gránulos que queden dispersos lo antes posible

Arbustos:

Abelia: *Edward Goucher, Ilustroso*
Acacia: *Abisinia, redolens, Shoestring*
Andrómeda japonesa
Tuya: *Americana, Aureus nana Golden enana, Emerald, globosa, Little Giant enana, azul enana, americana Nigradark, Piramidalis, Rheingold, Techny*
Azalea
Bambú: *Compacto enano, divino Harbour enano, divino, divino compacto enano, divino púrpura enano, divino Woods enano*
Agracejo rojo: *Japonés Atropurpurea, japonés Aurea-golden, Crymson Pygmy, japonés, Mento, Rose Glow, William Penn*
Limpiatubos: *Limón, Ilorón*
Bugambilia: *Barbara Karst, California Gold, Pink Pixie, Scarlett O'Hara, Temple Fire, Texas Dawn*
Boj: **Común, Harlands, japonés, coreano, Littleleaf**
Retama: *Hollandiawarminster, Lena- Scotch*
Camelia: *Japonesa, Sasanqua*
Casia plumosa
Ágave americano
Cerezo: *Laurel de Carolina, Pink Flowering Almond enano*
Cincoenrama
Cleyera, japonesa
Cotoneaster: *Gayuba, Arándano, Himalayo, Praecoxearly, Pirineos, Roca, Zabel*
Arbusto coyote
Ciprés: *Filifera roscada, Kosteri, Hinoki enano, Torulosa*
Daphne olorosa
Deucia
Cornejo: *Baileyi rojo Bardaguera, Flaviramea Yellow Twig, siberiano*
Eleagno
Evónimo: *Canadale, Esmeralda y oro, Silver King, Spreading, Sunspot, Evergreen variegado, Winged, Wintercreeper*
Helecho: *Tassel, pintado japonés*
Espinos de fuego
Forsitia
Gardenia: *August Beauty, Mystery, Radican*
Feijoa
Espino indio
Brezo: *Cornish, Purple Bell, Mediterranean Pink, Spring Torch Scotch*
Hibisco Ross Estey
Holly
Lonicera: *Del Cabo, Trumpet*
Dodonea
Ixora
Jessamine, Carolina
Juniper
Lantana
Laurel: *Cerezo americano, Mountain*
Plátano oriental: *Acalifa, Ericácea/limón*
Leucothoe: *Costero, encorvado*
Lila: *Común, china, silvestre*
Azucena del valle: *Llamas del bosque, Fuegos de la montaña, Acumulación de nieve, Campanas del templo, Rosa del valle, Valle Valentine*
Mahonia: *Rastrera, hoja de cuero*
Arce: *Amur, japonés Coral Bark, japonés enano*
Celinda
Mirto: *Árbol de Júpiter, arrayán*
Adelfa: *Hardy Red, Ruby Lace*
Osmanthus fortunei
Palma: *Areca China lágrimas de Cupido, Navidad, Palmera Enana, Sagú*
Fotinia de Fraser
Andrómeda japonesa
Pino Mugo
Pitosporo: *verde, japonés, enano de Wheeler*
Celestina
Aligustre
Cedro rojo oriental
Rhaphiolepis: *Charisma-Monruce, Enchantress-Moness, de hoja redonda, Springtime-Monme*
Rododendro
Robira
Rosa
Rosa Ramanas
Rosa de Siria: *Heart, Red Bird, Woodbridge*
Sakaki
Eleagno
Skimmia: *Japonesa, Reeve's*
Árbol del humo: *Royal Purple, Coral Beauty, Eichholz*
Espirea: *Anthony Waterer, Bridal Wreath, Dolchia, falsa, alpina japonesa, Shirobana, Vanhoutte*
Zumaque africano
Clethra alnifolia
ITEA hoja de acebo
Henry Garnet
Viburno
Weigela
Willow
Genista
Parra virgen: *En floración, Serotina*
Xylosma
Tejo: *Anglojap, Plum, japonés erguido*
Tejo chino
Yuca

manchar accidentalmente superficies como concreto, caminos de piedra, superficies de vinilo, etc., barra los gránulos que queden dispersos lo antes posible.

Restricciones de ingreso: *No permita que las personas o mascotas ingresen al área tratada hasta que el polvo se haya asentado. Si el producto se riega, no ingrese ni permita que otros ingresen en las áreas tratadas (excepto quienes deben regar el producto) hasta que el riego esté completo y la superficie esté seca.*

Malezas anuales controladas

Malezas herbosas:

Cebada, capín arroz (grama de agua), césped azul bromo secalino anual Digitaria Eriochloa: Southwestern, Festuca lanuda **Cola de ratón Cola de zorro Césped de Guinea Amor de hortelano Grama Johnson (de semilla) Arrocillo silvestre Amor seco Avena Panicum silvestre :** Otoño, Rosetilla de Texas **Sandbur Sorgo Pasto barrera (Brachiaria) Triguillo Pasto hediondo Caña brava Grama**

Malezas de hoja ancha:

Quintonil tropical Culantrillo Pamplina Quenopodio Hortiga mansa Hierba pejiguera Falso ciprés Quinoa blanca Ortiga, Mayor Bledo Roceta Francesa (sólo en el oeste de los EE.UU.) ***Verdolaga Ipecacuana de Florida Cardo ruso***

Se recomienda el controlador de malezas de jardín Preen para uso alrededor de las siguientes plantas crecidas

Bulbos, flores, hierbas, cubiertas vegetales y céspedes ornamentales:

Hipérico Aliso Artotis Áster (perenne) Stokesia Aliento de bebé Bálsamo Penstemon Bergamota silvestre Begonia Campanilla Rudbeckia Dicentra Pistacho chino Caléndula Calliopsis Gazania amarilla Carex variegado Clavel Búgula (Ajuga) Ceanoto Centaurea gymnocarpa Crisantemo Equinácea púrpura Heuchera Coreopsis Aciano púrpura Cosmos Cotoneaster Arbusto coyote enano Coronilla varia Narciso Dalia Margarita: *Africana, Pintada, Shasta, Africana rastrera* ***Hemerocallis Descampsia Clavelina Senecio cineraria Esparraguera Festuca azul Agerato Nomeolvides Dondiego Dedalera Gallardía Liatris Gazania Geranio Camedrio Geum Gladiolo*** (bulbo de más de 2,54 cm de diámetro) ***Rudbeckia ampla Césped:*** *Barrón, Convalaria enana, Eulalia, Penisetum chino, Zoysia tenuifolia, Convalaria, hierba de la pampa, Falaris, Zoysia* ***Guara Hakonechloa Golden Malva real Hosta Albo-marginata Jacinto Delosperma:*** *De hoja grande, rastrera, rosa rastrera, blanca* ***Impaciencia Lirio bulboso Hiedra:*** *De Argelia, de California, inglesa, punta de aguja* ***Ixora Jazmín:*** *Angelwing, Asaian* ***Oreja de conejo Lavanda inglesa Liriope:*** *Big blue, Green/rastrero, Lilac Beauty, Magestic, Silvery Sunproof, variegado, blanco* ***Azucena del Nilo Lobelia Lupino Maravilla Caléndula del cabo (Dimorphotheca) Dondiego de día Mioporo Narciso Mastuerzo Tabaco ornamental Onagra Vinca Peter Pan enano Petunia Flox Viuda (Scabiosa) Celestina enana Amapola California Portulaca Jara Rosa Romero Rudbeckia Herniaria Salvia rusa Salvia Ajenjo Boca de dragón Cerastio Nieve en la montaña Verónica Diamante Hierba de San Juan Estática Alhelí Uva de gato (Sedum) Frambuesa Beach Girasol Aliso dulce Guisante de olor Centaurea moschata Clavel del poeta Armeria Coreopsis Tulipán Verbena Muehlenbeckia Enredadera de alambre Milenrama (Aquilea) Zinia***

Árboles:

Fresno: Shamel, blanco Abedul: *Blanco europeo, de papel, de río* ***Tupelo Árbol botella Styphelia Richei Cerezo Yoshino bajada Coolabah Álamo Ciprés:*** *de Arizona, calvo, filicoides Fern Spray, Hinoki Gracilis Slender, Squarrosa-moss, falso Swara* ***Cornejo:*** *Cloud Nine, en floración, Kousa* ***Olmo chino Eucalipto:*** *Mealy, Redgum, Red Ironbark, Silver Dollar* ***Ficus miniatura Abeto:*** *Bálsamo, Douglas, White* ***Anís estrellado americano Ginkgo Espino verde Falso abeto:*** *Del Canadá, oriental* ***Alerce japonés Tilo Robinia:*** *Negro, Honey, Shademaster Honey* ***Magnolia Caoba Arce:*** *floración albus, llamas, floración luteus, Noruega, rojo, atardecer rojo, floración roseus, plata, azúcar, floración de mandarinas, floración rojo vesubio* ***Mezquite chileno Roble:*** *Bear, Live, Pin, rojo, Scarlet, Willow* ***Palma:*** *Mexicana, Parlor, Queen* ***Pino:*** *Austríaco, Beach, de Bosnia, Bristlecone, Canary Island, Columnar Scotch, oriental blanco, Eldarica, negro japonés, Loblolly, Monterey, Pumilio Shrubby Swiss Mountain, rojo, escocés, Shore* ***Plátano de Londres Podocarpo Árbol del amor oriental Cedro rojo oriental Secoya gigante Oxydendrum arboreum Falso abeto:*** *de Colorado, Alberta enano, picea azul enano, Glauca-Colorado azul, Hoopsii-Hoop's azul, picea pungens "Kosteri" Noruega, Pendula llorón de Noruega, Noruega Repens- spreading, Blanco* ***Liquidámbar americano Plátano de sombra:*** *Americano, de California* ***Tab amarillo Toyon Tulipanero Willow***

Árboles y plantas que no producen frutos o frutos secos:

Almond Manzano Albaricoquero Aguacatero Banano Mora negra Arándano Algarrobo Cerezo: *Dulce, agrio* ***Castaña, Chinese Manzano silvestre Pasa de Corinto Zarza Elderberry Higuera Avellano Grosellero Parra:*** *Americana, europea* ***Pomelo Kiwi Limonero Frambueso de Logan Nogal de macadamia Mora blanca Nectarino Olivo:*** *Negro, ruso* ***Orange Melocotonero Peral Pecan Pistacho Ciruelo Granado Ciruela pasa***

Cuándo aplicar el controlador de malezas de jardín Preen

Aplique el controlador de malezas de jardín Preen durante la temporada de crecimiento alrededor de plantas crecidas y plantas trasplantadas. El controlador de malezas de jardín Preen no se debe usar en semillas de plantas florales. Se puede usar después de que las plantas en floración hayan germinado y tengan de 5,08 a 7,62 cm de alto. El controlador de malezas de jardín Preen se puede incorporar también en el suelo al sembrar las hortalizas o aplicarse después de abonar los mantos. Dado que no mata las malezas existentes, deberá quitar primero cualquier maleza que haya comenzado a crecer. Al aplicar el controlador de malezas de jardín Preen lo antes posible, podrá eliminar la necesidad de desmalezar manualmente.

La lluvia no elimina este producto del suelo. Para mantener los mantos ornamentales libres de malezas en toda la temporada, vuelva a aplicar el controlador de malezas de jardín Preen cada 9 a 12 semanas.

Cómo aplicar el controlador de malezas de jardín Preen

Para evitar daños en las plantas, no aplique el controlador de malezas de jardín Preen cuando el follaje esté mojado. Cuando las plantas estén secas, rocíe el controlador de malezas de jardín Preen en la superficie del suelo según las proporciones que se indican para su situación específica. Una vez que se haya activado mediante el riego o su incorporación al suelo, el controlador de malezas de jardín Preen forma una barrera de control contra malezas en la capa superior del suelo, lo que evita que las semillas de malezas germinen. La alteración de la superficie del suelo después de la activación puede dar como resultado un control contra malezas irregular.

Aplicación alrededor de plantas establecidas y trasplantadas

Proporción de aplicación en la superficie
Esparza el controlador de malezas Preen en la superficie del suelo como se muestra.

Para flores, rosas, hierbas, cubiertas vegetales, céspedes ornamentales, arbustos, árboles y hortalizas que se indican, de al menos 5,08 a 7,62 cm de alto (consulte la sección especial para uso en hortalizas): Rocíe en forma regular el controlador de malezas de jardín Preen en toda la superficie del suelo en una proporción de 28,4 g cada 1 m² (ver imagen a la derecha), asegurándose de mantener los gránulos alejados de las raíces y el follaje de las plantas. Riegue inmediatamente el controlador de malezas de jardín Preen en la superficie del suelo. Si el riego no funciona, rastrille levemente la superficie del suelo. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

Aplicación del controlador de malezas de jardín Preen con compuesto orgánico

Para obtener un mejor control de las malezas, recomendamos aplicar el controlador de malezas de jardín Preen después de esparcir compuesto orgánico en los mantos de flores y arbustos. Rocíe el controlador de malezas de jardín Preen encima del compuesto orgánico según la proporción de la superficie (consulte la imagen de arriba), asegurándose de mantener los gránulos alejados del follaje de las plantas. Riegue inmediatamente el controlador de malezas de jardín Preen sobre el compuesto orgánico. Si el riego no es práctico, rastrille levemente la capa superior del compuesto orgánico. Lave siempre o limpie los gránulos sueltos del follaje de la planta para evitar daños o la decoloración.

Para uso en hortalizas

Primero, retire todas las malezas existentes y luego rastrille levemente para preparar una superficie de suelo pareja. Mezcle en forma uniforme el controlador de malezas de jardines Preen en los 2,5 a 5 centímetros superiores del suelo inmediatamente

PRIMEROS AUXILIOS

SI ESTÁ EN LOS OJOS:

- *Mantenga los ojos abiertos y enjuague lenta y suavemente con agua durante 15 a 20 minutos. Si lleva lentes de contacto puestos, quíteselos luego de los primeros 5 minutos, luego continúe enjuagando el ojo.*
- *Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.*

EN CASO DE SER INGERIDO:

- *Llame de inmediato a un centro de control de envenenamientos o a un médico para solicitar tratamiento*
- *Haga que la persona tome agua, si puede tragar.*
- *No induzca el vómito, a menos que se lo indique un médico o el centro de control de envenenamientos.*
- *No administre nada por boca a una persona que haya perdido el conocimiento.*

SI ESTÁ EN LA PIEL O EN LA ROPA:

- *Quítese inmediatamente la ropa contaminada.*
- *Enjuague inmediatamente la piel con abundante agua entre 15 y 20 minutos.*
- *Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.*

SI SE INHALA:

- *Lleve la persona a un lugar con aire fresco.*
- *Si la persona no respira, llame al 911 o a una ambulancia, luego administre respiración artificial, preferentemente boca a boca, si es posible.*
- *Llame a un centro de control de envenenamientos o a un médico para recibir más instrucciones de tratamiento.*

Cuando llame a un centro de control de envenenamientos o a un médico, o busque tratamiento, tenga a mano el envase o la etiqueta del producto. Para obtener información sobre emergencias médicas, llame al (888) 208-1368.

de malezas de jardines Preen en los 2,5 a 5 centímetros superiores del suelo inmediatamente después de la aplicación, con cuidado para no dañar los cultivos que hayan salido. La dosis de aplicación depende del tipo de suelo. Aplique a 453,6 g por 59,5 m^2 para suelos muy arcillosos, a 453,6 g por 89,2 m^2 suelos con contenido de arcilla mediano y a 453,6 g por 120 m^2 para suelos livianos arenosos.

ANTES de sembrar: *Brócoli, repollitos de Bruselas, repollo, zanahorias, coliflor, apio, berzas, alubias, arvejas de campo, arvejas, col rizada, lentejas, frijoles, mostaza parda, quingombó, rábanos, arvejas del sur (caupí), ejotes, hojas de nabo´.*

DESPUÉS de sembrar o trasplantar: *Cantalupos, pepinos, sandías. Aplicar después de que las plantas hayan desarrollado 5 o más hojas.*

DESPUÉS de plantar: Papas: *Se puede aplicar después de plantar, antes o después de que la planta haya brotado. Tenga cuidado de no dañar las semillas al cultivarlas ni permita que el suelo tratado entre en contacto con el follaje de la planta que brotó.*

ANTES de trasplantar: *Apio, brócoli, repollitos de Bruselas, repollo, coliflor, berenjena, pimientos, cebollas, tomates.*

Hortalizas perennes: *Espárragos. Aplicar antes de que la planta brote.*

El fabricante no otorga garantías, expresas ni implícitas, relacionadas con este producto o con su uso, que se extiendan más allá de lo descrito en el presente documento. Todas las declaraciones hechas relacionadas con este producto se aplican solamente cuando se usa según las instrucciones.

Declaraciones de precaución

Peligroso para seres humanos y animales domésticos

PRECAUCIÓN

Provoca una irritación moderada de los ojos. El producto es nocivo si se ingiere o se absorbe a través de la piel. Evite el contacto con los ojos, piel o ropa. Si el producto ingresa en la ropa, el usuario debe quitársela de inmediato. Luego, lavarse bien y colocarse ropa limpia. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas. Lávese las manos antes de comer, beber, masticar chicle, usar tabaco o usar el inodoro.

Peligros para el medio ambiente

Este pesticida es extremadamente tóxico para la vida acuática de agua dulce, peces de estuario e invertebrados acuáticos, incluidos camarones y ostras. No lo aplique directamente en el agua. No lo aplique de manera que pueda exponer canales, lagos, arroyos, charcos, pantanos o estuarios a dispersión o escorrentía. No contamine el agua al desechar las aguas con la que limpió o enjuagó el producto. Para proteger el medio ambiente, no deje que el pesticida entre o escurra hacia desagües pluviales, zanjas de desagüe, alcantarillas ni aguas superficiales. Aplicar este producto en un clima tranquilo ayudará a asegurar que el viento no sople el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre una entrada de garaje, acera o calle llevándolo de vuelta al área tratada del jardín para evitar que se escurra hacia aguas superficiales o sistemas de drenaje.

Almacenaje y eliminación

No contamine el agua, los alimentos o el forraje al almacenarlo o eliminarlo.

Almacenamiento del pesticida: *Almacene el producto en su envase original en un lugar fresco, seco, cerrado con llave, fuera del alcance de los niños y animales.*

Eliminación del envase: SI ESTÁ VACÍO: *El envase no se puede volver a rellenar. No vuelva a usar ni rellene este envase. Colóquelo en la basura o, si está disponible, ofrézcalo para reciclaje.*

SI ESTÁ PARCIALMENTE LLENO: *Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca deseche el producto sin usar en desagües en interiores o exteriores.*

GARANTIA PREEN

En la medida en que la ley lo permita, Lebanon Seaboard Corporation le garantiza que, si usted no queda satisfecho con el producto luego de usarlo como se indica, se le reembolsará su dinero. Si no queda satisfecho, haga una descripción de la naturaleza del problema y envíela con el comprobante de compra a
Lebanon Seaboard Corporation, 1600 East Cumberland St., Lebanon, PA 17042

CAS No. 1582-09-8

EPA Reg. No.961-280

(L) (D)
EPA Est. No. 961-PA-01:961-IL-01
El superíndice usado es la primera letra del número de lote.

PROOF OF PURCHASE

COMPROBANTE DE COMPRA